

## **Protective**

# **AS 930 CP**

Solvent-based, stain-proof protective treatment with natural effect and acid-resistant features, for marble, limestone and other acid sensitive materials



AS 930 CP is a solvent-based, protective stain-proofing and acid-proofign treatment with natural look effect. AS 930 CP is suitable to provide acid-proof and stain proof features to all the surfaces where this kind of protection is required, such as tables and countertops, vanity tops. AS 930 CP is a product with natural-look effect so that, after the application, will not alter the original tone and color of the material.

#### **CHARACTERISTICS AND BENEFITS**

- Excellent acid-proof properties
- Excellent stain-proofing properties
- ✓ Makes cleaning and maintenance operations much simpler
- ✓ Will not yellow over time
- Certified for food contact surfaces

#### **USES**

This product can be used on both indoor and outdoor surfaces.

Suitable for use on: Marble, Travertine, Limestone and other acid-sensitive stones or materials.

## **COVERAGE**

15/20 m<sup>2</sup>/Kg

### **APPLICATION EQUIPMENT**

Mellamine Sponge or Melammine Pad

## **APPLICATION STEPS**

## Preparing and cleaning the surface

- Carefully clean the surface, making sure to remove any dust or dirt present.
- Never apply AS 930 to wet or damp surfaces.
- Any adjacent surfaces not being treated with the product must be protected.

#### **Application**

- 1. Apply a small amount of product directly on the surface.
- 2. Distribute the product on the surface by using a clean melammine sponge pad. Be carefull to distribute the product omogeneously to cover all the surface and to make a uniform layer of product. Do not let the product get dry during this distributing phase.
- 3. Wait untill the layer of product will be completly dry
- 4. The product will be completly dry within 1-2 hours after the application, but the stain and acid proof performances will be reached after 24 hours from the application.
- 5. After the complete curing of the products (after at least 24 hours from its application) is possible to apply the product CP MAIN in order to increase the mechanical and scratch resistance of the treatment.















## Protective

AS 930 CP - Solvent-based, stain-proof protective treatment with natural effect and acid-resistant features, for marble, limestone and other acid sensitive materials



### **INSTRUCTIONS AND GUIDELINES**

- Never apply the product to wet, damp or dirty
- Do not apply the product to overly heated surfaces.
- After applying a layer of AS 930 CP, let it curing without re-touching or intervening in the treated area before it is completely dry; this is to prevent uneven finishes after drying.
- Before applying the product to the whole surface, it is advisable to test a small, unexposed area or unused piece to check its suitability for use.
- Avoid to use blades directly on the surface, using instead a proper cutting board

### **EQUIPMENT CLEANING**

At the end of application, the equipment used can be cleaned using white spirit.

#### **SAFETY**

When applying the product, always use suitable personal protective equipment and follow the instructions on the product safety data sheet with care.

PHYSICAL AND TECHNICAL INFORMATION	
Aspect	: Liquid
Color	: Transparent
Odour	: Solvent hydrocarbons
Specific gravity (20°C)	: 906 ± 10 g/Lt.
Flash point (ASTM D 56)	: 17 °C

#### **STORAGE**

Keep the container tightly closed and store in a cool, dry place.

#### **SHELF LIFE**

12 months in the original, sealed packaging, stored in a cool, dry place.

#### **PACKAGING**

- 1 Kg bottles - 12 bottles per box



# HAZARD IDENTIFICATION

H226	Highly flammable liquid and vapour
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P370+P378	In case of fire, use carbon dioxide, foam, chemical powder to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a wellventilated place. Keep cool.











### **Protective**

AS 930 CP - Solvent-based, stain-proof protective treatment with natural effect and acid-resistant features, for marble, limestone and other acid sensitive materials



Version 0.0 - 03/10/2019

This technical data sheet supersedes all previous versions. Always refer to the latest version of the data sheet, available on www.fabersurfacecare.com site. Faber Chimica reserves the right to update and / or modify the data and information contained in the data sheet.

The information in this data sheet is based on our wide experience in technical and operational research. In any case you should always make a preliminary test to verify the suitability of the product for the intended use and the type of material on which it will be applied. The information and the suggestions can't be construed as a commitment or result in our responsibility as the conditions and method of use of the product cannot be controlled by us. Therefore Faber Chimica Srl disclaims any liability with regard to the use of such data and suggestions.











